

Message

From: Han, Linda (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MASSMAIL-01/CN=RECIPIENTS/CN=LINDA.HAN]
Sent: 6/26/2008 5:44:48 PM
To: McNamara, Ann (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MASSMAIL-01/CN=RECIPIENTS/CN=Ann.McNamara]
Subject: RE: Invoice 6 -120197

Yes, no problem from the lab end as long as it's no problem from the billing end.

From: McNamara, Ann (DPH)
Sent: Thursday, June 26, 2008 1:39 PM
To: McNamara, Ann (DPH); Reilley, Betsy; Han, Linda (DPH)
Subject: RE: Invoice 6 -120197

From: McNamara, Ann (DPH)
Sent: Thursday, June 26, 2008 1:38 PM
To: 'Reilley, Betsy'
Subject: RE: Invoice 6 -120197

Sure – we can do a sample here or there from an admin perspective, Linda?

From: Reilley, Betsy [mailto:Betsy.Reilley@mwra.state.ma.us]
Sent: Thursday, June 26, 2008 1:32 PM
To: McNamara, Ann (DPH)
Subject: RE: Invoice 6 -120197

Hi Ann,

I do not believe any additional samples will be coming up, nor do we anticipate continuing this project. While this work was of significant interest for a number of years, difficulty in putting the results into context from a water treatment perspective has made this information not as useful recently.

However, I am wondering if it might be possible to submit a few samples to you as the need might arise in the future? Is this something you can accomodate? We would need to work out billing/payment logistics, but I see it more likely that we may periodically have specific samples we would like to have analyzed, rather than an on-going contract.

Let me know, and thanks for all the hard work your lab has completed for this project!

Betsy

Betsy Reilley, Ph.D
Senior Program Manager, Water Quality Assurance and Data Management
MA Water Resources Authority

268 Boston Road, Southboro, MA 01772
Telephone: 508-820-1527
Direct Dial: 508-424-3613
Cell: [REDACTED]
Fax: 508-872-4527
E-mail: Betsy.Reilley@mwra.state.ma.us
Website: www.mwra.com

From: McNamara, Ann (DPH) [mailto:Ann.Mcnamara@state.ma.us]

Sent: Wednesday, June 25, 2008 4:58 PM

To: McNamara, Ann (DPH); Reilley, Betsy

Subject: RE: Invoice 6 -120197

Hi Betsy,

Our contract is up on 7/8/08. Could you please let us know if we should anticipate any samples prior to that date? Also, are you re-bidding? Interested in extending the contract?

Ann McNamara
Department of Public Health
State Laboratory
617-983-6235